

KEYNOTES:

- 1. EXISTING WATER CLOSET TO BE REMAIN. CONNECT EXISTING WATER CLOSET TO EXISTING CW, HW, SANITARY, VENT LINES WITH ASSOCIATED ACCESSORIES AND FITTINGS.
- 2. EXISTING LAVATORY TO BE REMAIN. CONNECT EXISTING LAVATORY TO EXISTING CW, HW, SANITARY, VENT LINES WITH ASSOCIATED ACCESSORIES AND FITTINGS.
- 3. CONNECT NEW MOP SINK TO NEW CW, HW, SANITARY, VENT LINES WITH ASSOCIATED ACCESSORIES AND FITTINGS.
- 4. CONNECT NEW DOG PET GROOMING BATH TUB TO NEW CW, HW, SANITARY, VENT LINES WITH ASSOCIATED ACCESSORIES AND FITTINGS.
- 5. CONTRACTOR TO FIELD VERIFY ALL PIPE SIZES AND CHANGE TO ADEQUATE SIZES AS PER PLUMBING FIXTURE SCHEDULE IF NECESSARY.
- 6. CONNECT NEW HOT WATER HEATER TO EXISTING PIPING. CONTRACTOR TO FIELD VERIFY EXACT LOCATIONS.
- 7. EXTEND NEW 1" TO EXISTING CW MAIN IN BASEMENT. CONTRACTOR TO COORDINATE WITH LANDLORD FOR WATER METER AND BACKFLOW PREVENTER REQUIREMENTS.
- 8. CONNECT NEW 4" SANITARY TO NEAREST EXISTING SANITARY LINE. CONTRACTOR TO VERIFY IN SIZE AND LOCATION IN FIELD.
- 9. CONNECT NEW 1" GAS TO EXISTING GAS MAIN IN BASEMENT. CONTRACTOR TO COORDINATE WITH LANDLORD FOR GAS METER REQUIREMENTS.
- 10. CONTRACTOR TO FIELD VERIFY EXISTING AVAILABLE GAS PRESSURE AND MAKE SURE TO PROVIDE ADEQUATE INLET PRESSURE REQUIRED FOR AHU-1 & AHU-2.
- 11. EXISTING MECHANICAL TO REMAIN.

GENERAL NOTES:

- 1. CW/HW PIPING TO BE PROVIDED WITH INSULATION AS PER CHICAGO ENERGY CONSERVATION CODE 2019 (REFER SHEET P001)
- 2. CONTRACTOR TO FIELD VERIFY FEASIBILITY OF SLAB PENETRATION AS PER STRUCTURAL REQUIREMENT.
- 3. REFER RISER DIAGRAMS FOR ALL PIPE SIZES.
- 4. PROVIDE ACCESS PANELS FOR CLEANOUTS AS REQUIRED.
- 5. WATER HEATER DRAIN SPILLS TO THE NEAREST FLOOR DRAIN.



1 PLUMBING FLOOR PLAN
1/4" = 1'-0"