




DRAINS			
DESIGNATION	MANUFACTURER	MODEL	REMARKS
ROOF DRAINS	ZURN	Z163	W/LOW DOMES
AREA DRAINS	JR. SMITH	FIGURE 2120	HEAVY DUTY AREA DRAIN
BALCONY DRAINS	JR. SMITH	FIGURE 2280	LIGHT DUTY AREA DRAIN
FLOOR DRAINS	ZURN	Z415 AND/OR Z42	W/STRAINERS, CHROME-PLATED BRONZE TOP
MECHANICAL ROOM/BOILER DRAINS	ZURN	Z507	MEDIUM DUTY DRAIN
GARAGE DRAINS	ZURN	Z150	-





NOTE:
VENT HEIGHT IS 7'-0"

PLUMBING NOTE:
HOT & COLD WATER TO BATHROOM FIXTURES
SHOULD BE MIN. 1"

KEY NOTES:
◇ PROVIDE FUNNEL DRAIN W/1/4" CONDENSATE PIPE &
CONNECT TO STORM PIPING FOR MECHANICAL FANCOIL UNITS



DRAINS			
DESIGNATION	MANUFACTURER	MODEL	REMARKS
ROOF DRAINS	ZURN	Z163	W/LOW DOMES
AREA DRAINS	JR. SMITH	FIGURE 2120	HEAVY DUTY AREA DRAIN
BALCONY DRAINS	JR. SMITH	FIGURE 2280	LIGHT DUTY AREA DRAIN
FLOOR DRAINS	ZURN	Z415 AND/OR Z42	W/STRAINERS, CHROME-PLATED BRONZE TOP
MECHANICAL ROOM/BOILER DRAINS	ZURN	Z507	MEDIUM DUTY DRAIN
GARAGE DRAINS	ZURN	Z150	-



NOTE:



1. PROVIDE 4" POOL DECK DRAINAGE HEADER & 4" AREA DRAINAGE HEADER TO CONNECT TO THE SITE DRAINAGE SYSTEM BY OTHERS
2. GUTTER DOWNSPOUT SHOULD BE CONNECTED TO SITE DRAINAGE SYSTEM BY OTHERS

POOL PLUMBING DRAINAGE PLAN
SCALE: 1/16" = 1'-0"

M.H.W.L. EL. 0.44 NAVD 3/5/12

S.H.W.L. EL. 4.58 NAVD 3/5/12

S.H.W.L. EL. 4.58 NAVD 2/17/14



Property of NY Engineers

1	TUNNEL
P-106.00	1/8" = 1'-0"

2	BEACH HOUSE
P-106.00	1/4" = 1'-0"